


# Ultra IBC Spill Pallet Plus®

## Economical And Portable Containment For IBCs



Part# 1157

- Low profile, 28" overall height — allows safe and convenient IBC tank handling and dispensing.
- All polyethylene construction — offers excellent chemical resistance and will not rust or corrode.
- Forkliftable — allows convenient positioning to desired locations.
- Low-cost design with value-added features and benefits.
- Large 52" x 52" deck allows safe and convenient placement of IBC tanks.
- Small footprint — 62" x 62" unit requires minimal floor space.
- Available with optional Bucket Shelf (Part# 1160) — catches leaks or spills during dispensing.
- 360-gallon sump capacity meets SPCC and EPA Container Storage Regulations.



Part# 1159 (Cover)

Optional Pull Over Cover keeps rainwater out of sump and helps comply with Stormwater Management Regulations.



Five inner polyethylene columns support uniformly distributed loads of up to 8,500 lbs. All components are easily removed for cleaning.



Part# 1160 (Bucket Shelf)

Spills from dispensing that exceed 3 gallons are channeled into the 360-gallon sump through a bulkhead fitting.

### ULTRA-IBC SPILL PALLET PLUS

Ultra-IBC Spill Pallet Plus		Ultra-Bucket Shelf
Part# 1157: no drain • Part# 1158: with drain	Containment Capacity: 360 gallons (1363 L)	Part# 1160
Dimensions: 62" x 62" x 28" (1,575 mm x 1,575 mm x 711 mm)	Uniformly Distributed Load: 8,500 lbs. (3,856 kg)	Dimensions: 19 1/2" x 16" x 14 1/2" (495 mm x 406 mm x 368 mm)
Weight: 280 lbs. (127 kg)	Meets EPA Container Storage Regulation 40 CFR 264.175, 264.177(c) and 265.177(c).	Weight: 10 lbs. (5 kg)

U.S. Patent No. 5,615,608