

Ultra-Filter Socks®



Stop harmful substances from entering the stormwater system

- + Use in front of storm drains, around downspouts, in gullies, and ditches, or anywhere there is potential for harmful stormwater runoff.
- + Woven polymer casing allows water to pass through quickly while filtration media inside removes pollutants.
- + Available in 9-foot lengths. Units can be overlapped for longer coverage.
- + Looped ends allow units to be staked in place and also assist in transport.
- + Available with different types of media depending on which pollutant is present.*
- + Option for heavy-metal removal available.



*Multiple Ultra-Filter Socks can be used in a "treatment train" if the potential for more than one contaminant or a large quantity of a single contaminant is present.



Part#	Description	Dimensions in. (mm)	Weight lbs. (kg)
9453	Activated Carbon	108 x 7 x 4 (2,743 x 178 x 102)	40.0 (18.0)
9455	Sorb 44	108 x 7 x 4 (2,743 x 178 x 102)	15.0 (7.0)
9457	Sediment Removal	108 x 7 x 4 (2,743 x 178 x 102)	40.0 (18.0)
9456	Phos Filter	108 x 7 x 4 (2,743 x 178 x 102)	66.0 (30.0)
9454	Heavy Metal Removal	108 x 7 x 4 (2,743 x 178 x 102)	35.0 (16.0)

Media Descriptions

- **Activated Carbon:** Excellent "polishing media". Helps remove certain chemicals, hydrocarbons and odors.
- **Sorb 44:** Used to remove oil and other hydrocarbons.
- **Sediment Removal:** Recycled rubber media provides weight, keeps unit in place, allows maximum water flow.
- **Phos Filter:** Excellent for removal of phosphorous.
- **Heavy Metal Removal:** Custom filter media helps remove zinc, lead, copper and other harmful, heavy metals.

Ultra-Filter Pads®



Capture oil, gas, and other hydrocarbons while allowing clean rainwater to flow through

- + Use Ultra-Filter Pads on construction sites, oil fields, and other areas where spill containment is needed but shelters or structures are not available.
- + Polyethylene and PVC construction is lightweight but durable - folds for quick and easy storage or transport.
- + Replaceable Ultra-X-Tex liners quickly capture oil, grease, and fuel leaks and spills. Allows clean water to pass through while filtering out any hydrocarbons.
- + Two-inch, foam sidewalls provide structure and help contain stormwater during periods of quick or large amounts of rainfall - ensures Ultra-X-Tex has ample filtering time.



Part#	Description	Dimensions in. (mm)	Weight lbs. (kg)
6540	Small	30 x 24 x 3 (762 x 610 x 76)	3.0 (1.5)
6541	Medium	42 x 30 x 3 (1,067 x 762 x 76)	5.0 (2.5)
6542	Large	60 x 48 x 3 (1,524 x 1,129 x 76)	11.0 (5.0)
6550	Small Replacement Liners (4-Pack)	30 x 24 x 1 (762 x 610 x 25)	1.0 (0.5)
6551	Medium Replacement Liners (4-Pack)	42 x 30 x 1 (1,067 x 762 x 25)	2.0 (1.0)
6552	Large Replacement Liners (4-Pack)	60 x 48 x 1 (1,524 x 1,129 x 25)	4.0 (2.0)



U.S. Patent No. 6,632,501